

Two Ways to Bid

 The Auction will be held online at <u>www.asibidco.com</u>. The lots are open NOW for bidding and the auction will close on Thursday 29th August at the specified time.

Simply go to the website, register and bid.

If you do not have access to a computer,

Then;

2) Complete the proxy bid forms included in this catalog and submit them to our office at Jolliland Building, 670 EDSA, Pasay City or at Angeles Warehouse, Neoart Compound, A.C., Pampanga, before 12 noon on 29th August and your bids will be entered by our staff into the Online Auction on your behalf.

NOTICE TO PURCHASERS Online SALE

Viewing:	Monday August 26th to Wednesday August 28 From 9:00am to 5:00pm
	At Astoca Angeles Warehouse; Neoart Compound, Brgy. Sapalibutad, Angeles City, Pampanga
Proxy bid:	Deadline of submission of bids will be no later than 12nn on August 29th. Use Submission Form below.
Deposit:	NO BID DEPOSIT REQUIRED FOR ONLINE & PROXY BIDDERS.
Buyers Premium	A Buyers Premium of 5% + VAT will be added to the successful Bid Amount
Payment:	ALL MUST BE PAID ON OR BEFORE Tuesday September 3, 2013.
Clearance:	 All lots must be removed on or before Friday September 6, 2013 All lots are sold on an <u>"as is where is"</u> basis. All lots will be dismantled and loaded onto buyers transport Free Of Charge unless otherwise stated Successful bidders are fully responsible for removing all lots purchased after full payment thereof. Clearance will be by schedule and is strictly by appointment. No lots may be removed from site without full payment of the invoice.
Please Note:	Astoca (Philippines) Inc reserve the right to reject any or all bids. Without prejudice to any claims that the Auctioneers and/or the Vendor may have against the Bidder for breach of contract or otherwise, the Bidder may become liable from the expiration of the time referred to in the clearance schedule hereof for all storage, security and administration expenses and the cost incidental to re-selling and or otherwise disposing of uncleared items. Astoca (Philippines) Inc. reserve the right to refuse to accept the bid of any attendee
RELIABLE	Should they be unable to satisfy Astoca on any of the above. GH INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED , NEITHER THE VENDOR NOR ASTOCA MAKES ANY WARRANTY OR ANTEE EXPRESSED OR IMPLIED AS TO THE ACCURACY OF THE INFORMATION CONTAINED HEREIN.

Bid Submission Form FOR Farm Tractors and Agricultural Implements

Lot	Description	Bid Offer (PHP)
1	MASSEY FERGUSON 595-8R Farm Tractor 4 x 4, Delux Cab, power steering, 4 cylinder Perkins 88 Hp diesel engine, pto, 3 point linkage, spool valves, lift cylinders, 12.4-28 80% front tires, 16.9-38 70% rear tires 4238 hrs. Sn E333046	
2	MASSEY FERGUSON 2620 Farm Tractor 4 x 4; Delux Cab; Power Steering; 102hp 6 cyl. Perkins Diesel Engine; PTO; 3-point linkage;Extra Spool Valves; 16.9R38 90% Rear Tyres; 12.4R23 60% Front Tyres; 6194 hours; Serial no.A236215	
3	MASSEY FERGUSON 690 Farm Tractor 4 x 4; Delux Cab; Power Steering; 90hp Perkins 4 Cylinder Diesel Engine; PTO; 3-point linkage;Extra Spool Valves; Extra Lift Cylinders; 642 hours; Serial no.B123001	
4	MASSEY FERGUSON 399 Turbo Farm Tractor 4 x 4, Hiline cab, power steering, 18 speedshift transmission, Perkins 110 Hp 6 cylinder turbo diesel engine, pto, draw bar, 3 point linkage, extra spool valves, extra lift cylinders, 18.4R38 90% rear tires, 14.9R28 90% front tires, Sn D03547	
5	MASSEY FERGUSON 399 Farm Tractor 4 x 4, Hiline cab, power steering, Perkins 104 Hp 6 cylinder diesel engine, pto, draw bar, 3 point linkage, extra spool valves, front spool valves, extra lift cylinders, 16.9R38 90% rear tires, 13.6R28 90% front tires, Sn C12161	
6	MASSEY FERGUSON 399 Farm Tractor 4 x 4, Hiline cab, 18 speedshift transmission, power steering, Perkins 104 Hp 6 cylinder diesel engine,pto, draw bar, 3 point linkage, extra spool valves, extra lift cylinders, 18.4R38 90% rear tires, 14.9R28 new front tires, Sn C50231	
7	MASSEY FERGUSON 399 Farm Tractor 4 x 4, Hiline cab, power steering, 18 speedshift transmission, Perkins 6 cylinder 104 Hp diesel engine, pto, drw bar, 3 point linkage, extra spool valves, extra lift cylinders, 13.6R38 90% rear tires, 14.9R28 90% front tiresSn C49463	
8	MASSEY FERGUSON 398 Farm Tractor 4 x 4; Delux Cab; Power Steering; 95hp 4 cyl. Perkins Turbocharged Diesel Engine; PTO; 3-point linkage; Extra Spool Valves;Toplink; Drawbar;Full set front weights; 16.9R38 70% Rear Tyres; 12.4R20 30% Front Tyres; 6278 hours; Serial no.A21086	
9	MASSEY FERGUSON 1080 Farm Tractor 4 x 4; Power Steering; 80hp 4 cyl. Perkins Diesel Engine; PTO; 3-point linkage; Toplink; Drawbar; Extra Spool Valves; Extra Lift Cylinders;16.9R38 60% Rear Tyres; 7.50-18 30% Front Tyres; 4798 hours;	
10	WITHDRAWN LOT	
11	FORD 8210 Farm Tractor 4 x 4; Delux Cab ;Power Steering; 110hp 6 cyl. Diesel Engine; PTO; 3-point linkage; Extra Spool Valves; Extra Lift Cylinders;14.9R38 80% Rear Tyres; 14.9R28 New Front Tyres; 4402 hours; Serial no. B411466	
12	FORD TW10 Farm Tractor 4 x 4; Delux Cab; Power Steering; 120hp 6 cyl. Diesel Engine; PTO; 3-point linkage; Extra Spool Valves; Front weights; 4167 hours; Serial no.A902239	
13	FORD TW10 Farm Tractor 4 x 4; Delux Cab; Power Steering; 120hp 6 cyl. Diesel Engine; PTO; 3-point linkage; Extra Spool Valves; Front weights;	
14	FORD TW20 Farm Tractor 2 x 4, delux cab, power steering, 120 Hp 6 cylinder diesel engine, pto, 3 point linkage, extra spool valves, extra lift cylinder, 3588 hours FORD 7740 Powerstar SL Farm Tractor 4 x 4 Delux Cab; Power Steering; 86hp 4 cyl.	
15	Turbocharged Diesel Engine; PTO; 3- point hitch; Extra Spool Valves; Toplink; Drawbar; Full set front weights; 16.9R24 95% Rear Tyres . 18.4R3 New Front Tyres	
16	FORD 6640 Powerstar SL Farm Tractor 4 x 2 Dual Power; Super Delux Cab; power steerring, 76hp 4 cyl Diesel Engine; PTO; Spool Valves; 3-point linkage; drawbar; 16.9R38 90% Rear Tyres; 10.00 90% Front Tyres; 5807 hours; Serial no.013696B	
17	FORD 6610 Farm Tractor 4 x 4 ; Delux Cab; power steering, 4 cyl 90 Hp Diesel Engine; pto; 3 - point linkage; Spool Valves; Front Weights; 5245 hours;	
18	FORD 6610 Farm Tractor 4 x 4 ; Delux Cab; power steering, 4 cyl 90 Hp Diesel Engine; PTO; 3 - point linkage; Spool Valves; Front Weights; 6197 hours;	

19	FORD 6610 Farm Tractor 2 x 4; Delux cab; power steering, 90hp 4 cyl. Diesel Engine; PTO 3- point hitch; Spool Valves; Drawbar; 16.9R34 80% Rear Tyres; 7.5-18.5 90% Front Tyres; 5802 hours; Serial no. BA20861	
20	FORD 6610 Farm Tractor 2 x 4; Delux cab; power steering, 90hp 4 cyl. Diesel Engine; PTO 3- point hitch; Spool Valves; Drawbar; 16.9R34 80% Rear Tyres; 7.5-18.5 90% Front Tyres; 5103 hours; Serial no. BA13387	
21	FORD 5000 Farm Tractor 2 x 4 ; Power Steering; 47hp 4 cyl. Diesel Engine; PTO; 3- pont linkage; Spool Valves; 13.6R36 50% Rear Tyres; 7.50-16 70% Front Tyres; 1288 hours; Serial no A23779	
22	FOTON Europard 654 Farm Tractor c/w Rotovator 2 x 4, Cab, 4 cylinder 65 Hp turbo diesel engine, front wieghts, rear wheel wieghts, 3 point linkage, toplink, spool valve, ready for 4x4 conversion, 692 hours	
23	ISEKI Walk Behind Tiller Diesel Engine	
24	SHEFING Walk Behind Tiller Diesel Engine	
25	SENCI Walk Behind Tiller	
26	CONER 6000 Semi Offset Rotary Grass Topper (Unused) Drive Motor; Direct PTO Drive Shaft; 2 Swinging Blades; 1.75 Mtr cut, 3-point Tractor Mountings; Guards; Adjustable Cutting Height; Grounding Protection, 40Hp or above required	
27	CONER 6000 Rotary Grass Topper (Unused) Drive Motor; Direct PTO Drive Shaft; 2 Swinging Blades; 1.75 Mtr cut, 3-point Tractor Mountings; Guards; Adjustable Cutting Height; Grounding Protection, 40Hp or above required	
28	GASPARDO ST 300 Spring 6 Row Corn Seed Planter c/w Fertilizer Injector Bins; 3 - point attachment;	
29	GASPARDO 520 Spring 6 Row Corn Seed Planter c/w Fertilizer Injector Bins; 3 - point attachment;	
30	FORD 4000 Farm Tractor c/w Rotovator Cab, 3 cylinder 50 Hp diesel engine, 3 point linkage, spool valve, 6.00X16 new front tires, 13.6/12-36 80% rear tires	
31	MASSEY FERGUSON 1080 Farm Tractor 2 x 4 ; Power Steering; 80hp 4 cyl. Perkins diesel engine; pto; 3-pont linkage; spool valves, lift cylinders, top link, draw bar, 16.9R38 60% rear tires, 7.50-18 30% front Tyres, Serial no R506071	
32	MASSEY FERGUSON 595 Farm Tractor 2 x 4, Cab, power steering, Perkins 4 cylinder 88 Hp diesel engine,, 3 point linkage, toplink, spool valves, front and rear wheel weights, 16.9-38 40% rear tires, 7.50-20 90% front tires	
33	Fertilizer/ Pesticide Sprayer, 60 Ltr Tank, 12 Mtr folding boom arms, 50cm spaced spray nozzles, controls, pump, pto shaft. To fit 3 point farm tractor linkage	
34	Fertilizer/ Pesticide Sprayer, 60 Ltr Tank, 12 Mtr folding boom arms, 50cm spaced spray nozzles, controls, pump, pto shaft. To fit 3 point farm tractor linkage	

Dear Sirs,

Please find above my bid for the items as indicated. I have read and agree to all of the terms and conditions and I further understand that a 5% Buyers Premium (plus 12% VAT on the Buyers Premium) will be added to my bid price.

Company name	Signature
Address	Name
Address	Tel No
Address	Fax No
Date	

Bid Submission Form FOR Heavy Equipment & Construction Plant

Lot	Description	Bid Offer (PHP)
1	KOBELCO KMC200 Mobile Crusher Serial No. KMC 200-WZ-01031; 30 x 18 Jaw Crusher; Magnetic Seperator; Capacity 35 tph to 80 tph; Feed Hopper 2400mm x 2400mm; Travelling Speed 3.5kph; Weight 24 tonnes.	
2	HITACHI EX135US-5 Hydraulic Excavator Serial No 1 EVP003547 with Breaker & Bucket; Dozer Blade	
3	KOMATSU 380-3 Avance Wheel Loader Cab, 6 cyl diesel engine, 3.2 meter bucket, 2.9 meter dump clearance, 23.5-25 50% tires	
4	NEW HOLLAND 550 Loader Backhoe Cab, 3 cyl diesel engine, 2 meter digging depth, 16.5-24 60% rear tires, 7.50-16 70% front tires	
5	VIBROMAX 405 Loader Backhoe Cab, 3 cyl diesel engine, 2 meter digging depth, 16.5-24 60% rear tires, 7.50-16 70% front tires	
6	BITELLI BB30E Asphalt Paver 3 axle 2WD, 3 cylinder Deutz diesel engine, extending screen 1.6 meter - 3.2 meter and hopper, adjustable left/right steering and controls, heat chamber and burners, gas tank, 2 x 14.5-20mpt 90% tires, 4 x solid tires 50%	
7	MERLO DM 2500 XS Self Loading Dump Truck; Self Loading Skip Dumper, 4x4x4 drive/steer, cab, reversable operating position, front bucket, diesel engine, 335/80R20 70% tires	
8	ALIMAK SCANDO 20/30 Twin Cage Construction Hoist; 60 meter mast; Twin cage; 2000kg capacity	
9	ALIMAK SCANDO 20/30 Twin Cage Construction Hoist; 60 meter mast; Twin cage; 2000kg capacity	
10	ALIMAK SCANDO 20/30 Twin Cage Construction Hoist; 60 meter mast; Twin cage; 2000kg capacity	
11	ALIMAK SCANDO 20/30 Twin Cage Construction Hoist; 60 meter mast; Twin cage; 2000kg capacity	
12	CUMMINS Diesel Power 300 cfm Mobile Air Compressor Trailor Mounted; 8 cyl. Cummins Diesel Engine; 705 recorded hours	
13	SULLAIR VH7M Mobile Air Compressor Diesel Engine , Trailor Mounted; 2813 recorded hours	
14	DETROIT Series 60 6 cyl. Diesel Engine Factory Rebuilt; As new; Boxed	
15	SYKES 6 inch Drainage Pump Diesel Engine , Trailor Mounted	
16	YANMAR YW 280 BL Welding Generator 3663 recorded hours	
17	PUTMEISTER P30 Mortar Pump; Single axle, trailor mounted; 12mm max aggregate size; 19 cubic meters/hr; 29 bar pressure; 125 meter pumping length; 30 meter pumping height	
18	TURBOSOL Miniavant Mortar Pump; Tralier Mounted	

19	TOKU TNB22E Breaker Attachment; Hydraulic Impulse Breaker c/w 2 pieces Hydraulic Hose and 1 Moil Point	
20	AMCO VEBA V 801 S; 2 Ton Folding Knuckle Boom Crane c/w Operator Controls	
21	TADANO 2 Ton Folding Knuckle Boom Crane c/w Operator Controls	-
22	KOMATSU H60 Wheel Loader Cab, 4 cylinder Perkins diesel engine, 17.5R25 50% tires	
23	TCM 45B Wheel Loader Cab, articulated, Cummins 6 cylinder diesel engine, 17.5R25 70% tires	
24	BELLE 7600 Skidsteer Loader; 4WD, cab, kubota diesel engine, 600Kg capacity, quick release bucket and forks, 60% tires	
25	BELLE 7600 Skidsteer Loader; 4WD, cab, kubota diesel engine, 600Kg capacity, quick release bucket and forks, 60% tires	

Dear Sirs,

Please find above my bid for the items as indicated. I have read and agree to all of the terms and conditions and I further understand that a 5% Buyers Premium (plus 12% VAT on the Buyers Premium) will be added to my bid price.

Company name	Signature
Address	Name
Address	Tel No
Address	Fax No
Date	